ELSEVIER

Brain Research 679 (1995) 299–300

BRAIN RESEARCH

Author Index

Abekawa, T., Ohmori, T. and Koyama, T.
Effects of nitric oxide (NO) synthesis inhibition on the development of supersensitivity to stereotypy and locomotion stimulating effects of methamphetamine (679) 200
Adler, S., Verbalis, J.G. and Williams, D.
Effect of rapid correction of hyponatremia on the blood–brain barrier of rats (679) 135
Akiyama, K., Ono, M., Kohira, I., Daigen, A., Ishihara, T. and Kuroda, S.
Long-lasting increase in protein kinase C activity in the hippocampus of amygdala-kindled rat (679) 212
Arahata, K., see Tsukahara, T. (679) 178
Araki, T., see Kato, H. (679) 1
Arbuthnott, G.W., see Furmidge, L.J. (679) 241

Barbier, P., see Maggio, R. (679) 184
Basile, A.S., see Yurdaydin, C. (679) 42
Bohn, M.C., see Wetzel, D.M. (679) 72
Bowery, N.G., see Castro-Lopes, J.M. (679) 289
Brinck-Johnsen, T., see Clark, A.S. (679) 64
Brooke, J.D., McIlroy, W.E., Collins, D.F. and Misiaszek, J.E.
Mechanisms within the human spinal cord suppress fast reflexes to control the movement of the legs (679) 255
Buccafusco, J.J., Terry, Jr., A.V. and Shuster, L.
Spinal NMDA receptor — nitric oxide mediation of the expression of morphine withdrawal symptoms in the rat (679) 189

Carr, L.G., see Liang, Y. (679) 82
Cassus-Soulanis, S., Foutz, A.S. and Denavit-Saubié, M.
Involvement of NMDA receptors in inspiratory termination in rodents: effects of wakefulness (679) 25
Castro-Lopes, J.M., Malcangio, M., Pan, B.H. and Bowery, N.G.
Complex changes of $GABA_A$ and $GABA_B$ receptor binding in the spinal cord dorsal horn following peripheral inflammation or neurectomy (679) 289
Chang, M., see Wakabayashi, S. (679) 110
Chang, S.L., Patel, N.A. and Romero, A.A.
Activation and desensitization of Fos immunoreactivity in the rat brain following ethanol administration (679) 89
Changeux, J.-P., see Li, X.-M. (679) 157
Cisneros, M., see De Gortari, P. (679) 144
Clark, A.S., Mitre, M.C. and Brinck-Johnsen, T.
Anabolic-androgenic steroid and adrenal steroid effects on hippocampal plasticity (679) 64
Collins, D.F., see Brooke, J.D. (679) 255
Corsini, G.U., see Maggio, R. (679) 184
Cueva-Rolón, R., Gómez, L.E., Komisaruk, B.R. and Muñoz-Martínez, E.J.
Inhibition of withdrawal responses by pelvic nerve electrical stimulation (679) 267

Dahlin, L.B.
Prevention of macrophage invasion impairs regeneration in nerve grafts (679) 274
Dahlström, A., see Hou, X.-E. (679) 49
Daigen, A., see Akiyama, K. (679) 212
De Gortari, P., Fernández-Guardiola, A., Martinez, A., Cisneros, M. and Joseph-Bravo, P.
Changes in TRH and its degrading enzyme pyroglutamyl peptidase II, during the development of amygdaloid kindling (679) 144
Deguchi, T., see Ichikawa, H. (679) 205
Denavit-Saubié, M., see Cassus-Soulanis, S. (679) 25
Donati, E., see Maggio, R. (679) 184
Duggan, A.W., see Furmidge, L.J. (679) 241

Engler, H.D., see Yurdaydin, C. (679) 42
Enomoto, R., see Yoneda, Y. (679) 15

Fernández-Guardiola, A., see De Gortari, P. (679) 144
Finnman, U.-B., see Li, X.-M. (679) 157
Fior, D.R., Yang, S.-N., Ganten, U., Ganten, D. and Fuxe, K.
Evidence for a differential modulation of the alpha-2 adrenoceptors by angiotensin II in the nucleus tractus solitarii of the spontaneously hypertensive and the Wistar–Kyoto normotensive rats (679) 168
Foutz, A.S., see Cassus-Soulanis, S. (679) 25
Freed, L.M., see Wakabayashi, S. (679) 110
Fumagalli, F., see Maggio, R. (679) 184
Furmidge, L.J., Duggan, A.W. and Arbuthnott, G.W.
In vivo detection of immunoreactive neurokinin A release within rat substantia nigra and its dependency on a dopaminergic input (679) 241
Fuxe, K., see Fior, D.R. (679) 168
Fuxe, K., see Li, X.-M. (679) 157

Ganten, D., see Fior, D.R. (679) 168
Ganten, U., see Fior, D.R. (679) 168
Gatti, P.J., see Massari, V.J. (679) 227
Glasier, M.M., see Janis, L.S. (679) 99
Gómez, L.E., see Cueva-Rolón, R. (679) 267
Guarnieri, T., see Villani, L. (679) 261

Ha, J.-H., see Yurdaydin, C. (679) 42
Hamill, R.W., see Wetzel, D.M. (679) 72
Hazrati, L.-N., Pinault, D. and Parent, A.
The thalamic reticular nucleus does not send commissural projection to the contralateral parafascicular nucleus in the rat (679) 123
Hildebrandt, H. and Müller, U.
PKA activity in the antennal lobe of honeybees is regulated by chemosensory stimulation in vivo (679) 281
Hou, X.-E. and Dahlström, A.
Effects of decentralization on the levels of GAP-43 and p38 (synaptophysin) in sympathetic adrenergic neurons: a semi-quantitative study using immunofluorescence and confocal laser scanning microscopy (679) 49

Ichikawa, H., Deguchi, T., Nakago, T., Jacobowitz, D.M. and Sugimoto, T.
Parvalbumin- and calretinin-immunoreactive trigeminal neurons innervating the rat molar tooth pulp (679) 205
Ishihara, T., see Akiyama, K. (679) 212
Itoyama, Y., see Kato, H. (679) 1

Jacobowitz, D.M., see Ichikawa, H. (679) 205
Janis, L.S., Glasier, M.M., Martin, G., Stackman, R.W., Walsh, T.J. and Stein, D.G.
A single intraseptal injection of nerve growth factor facilitates radial maze performance following damage to the medial septum in rats (679) 99
Johnson, T.A., see Massari, V.J. (679) 227
Jones, E.A., see Yurdaydin, C. (679) 42
Joseph-Bravo, P., see De Gortari, P. (679) 144

Kato, H., Kogure, K., Liu, X.-H., Araki, T., Kato, K. and Itoyama, Y.

Immunohistochemical localization of the low molecular weight stress protein HSP27 following focal cerebral ischemia in the rat (679) 1
Kato, K., see Kato, H. (679) 1
Kazee, A.M., see Wetzel, D.M. (679) 72
Kogure, K., see Kato, H. (679) 1
Kohira, I., see Akiyama, K. (679) 212
Kojima, S., see Yoneda, Y. (679) 15
Komisaruk, B.R., see Cueva-Rolón, R. (679) 267
Koyama, T., see Abekawa, T. (679) 200
Kreutzberg, G.W., see Weibel, D. (679) 249
Kunika, N., see Tsukahara, T. (679) 178
Kuroda, S., see Akiyama, K. (679) 212

LeNovère, N., see Li, X.-M. (679) 157
Li, X.-M., Zoli, M., Finnman, U.-B., LeNovère, N., Changeux, J.-P. and Fuxe, K.
A single (−)-nicotine injection causes change with a time delay in the affinity of striatal D_2 receptors for antagonist, but not for agonist, nor in the D_2 receptor mRNA levels in the rat substantia nigra (679) 157
Li, Y., see Yurdaydin, C. (679) 42
Liang, Y., Mestek, A., Yu, L. and Carr, L.G.
Cloning and characterization of the promoter region of the mouse μ opioid receptor gene (679) 82
Liu, X.-H., see Kato, H. (679) 1

Maggio, R., Fumagalli, F., Donati, E., Barbier, P., Racagni, G., Corsini, G.U. and Riva, M.
Inhibition of nitric oxide synthase dramatically potentiates seizures induced by kainic acid and pilocarpine in rats (679) 184
Malcangio, M., see Castro-Lopes, J.M. (679) 289
Martin, G., see Janis, L.S. (679) 99
Martinez, A., see De Gortari, P. (679) 144
Massari, V.J., Johnson, T.A. and Gatti, P.J.
Cardiotopic organization of the nucleus ambiguus? An anatomical and physiological analysis of neurons regulating atrioventricular conduction (679) 227
McIlroy, W.E., see Brooke, J.D. (679) 255
Mestek, A., see Liang, Y. (679) 82
Misiaszek, J.E., see Brooke, J.D. (679) 255
Mitre, M.C., see Clark, A.S. (679) 64
Mizusawa, H., see Tamaoka, A. (679) 151
Mobley, S.L., see Wenk, G.L. (679) 8
Momoi, T., see Tsukahara, T. (679) 178
Mori, H., see Tamaoka, A. (679) 151
Müller, U., see Hildebrandt, H. (679) 281
Muñoz-Martínez, E.J., see Cueva-Rolón, R. (679) 267

Nakago, T., see Ichikawa, H. (679) 205

Odaka, A., see Tamaoka, A. (679) 151
Ogita, K., see Yoneda, Y. (679) 15
Ohmori, T., see Abekawa, T. (679) 200
Ono, M., see Akiyama, K. (679) 212

Pan, B.H., see Castro-Lopes, J.M. (679) 289
Parent, A., see Hazrati, L.-N. (679) 123
Pastuskovas, C.V., see Vivas, L. (679) 34
Patel, N.A., see Chang, S.L. (679) 89
Pinault, D., see Hazrati, L.-N. (679) 123

Racagni, G., see Maggio, R. (679) 184
Rance, N.E., see Wenk, G.L. (679) 8
Rapoport, S.I., see Wakabayashi, S. (679) 110
Riva, M., see Maggio, R. (679) 184
Romero, A.A., see Chang, S.L. (679) 89

Samejima, K., see Yoneda, Y. (679) 15
Sawamura, N., see Tamaoka, A. (679) 151
Schwab, M.E., see Weibel, D. (679) 249
Shimura, T., Suzuki, M. and Yamamoto, T.
Aversive taste stimuli facilitate extracellular acetylcholine release in the insular gustatory cortex of the rat: a microdialysis study (679) 221
Shirahata, A., see Yoneda, Y. (679) 15
Shoji, S., see Tamaoka, A. (679) 151
Shuster, L., see Buccafusco, J.J. (679) 189
Shuto, M., see Yoneda, Y. (679) 15
Stackman, R.W., see Janis, L.S. (679) 99
Stein, D.G., see Janis, L.S. (679) 99
Sugimoto, T., see Ichikawa, H. (679) 205
Suzuki, M., see Shimura, T. (679) 221
Suzuki, N., see Tamaoka, A. (679) 151

Tamaoka, A., Sawamura, N., Odaka, A., Suzuki, N., Mizusawa, H., Shoji, S. and Mori, H.
Amyloid β protein 1–42/43 (Aβ 1–42/43) in cerebellar diffuse plaques: enzyme-linked immunosorbent assay and immunocytochemical study (679) 151
Terry, Jr., A.V., see Buccafusco, J.J. (679) 189
Tonelli, L., see Vivas, L. (679) 34
Tsukahara, T., Kunika, N., Momoi, T. and Arahata, K.
Regulation of alternative splicing in the amyloid precursor protein (APP) mRNA during neuronal and glial differentiation of P19 embryonal carcinoma cells (679) 178

Verbalis, J.G., see Adler, S. (679) 135
Villani, L. and Guarnieri, T.
Localization of NADPH-diaphorase in the goldfish brain (679) 261
Vivas, L., Pastuskovas, C.V. and Tonelli, L.
Sodium depletion induces Fos immunoreactivity in circumventricular organs of the lamina terminalis (679) 34

Wakabayashi, S., Freed, L.M., Chang, M. and Rapoport, S.I.
In vivo imaging of brain incorporation of fatty acids and of 2-deoxy-D-glucose demonstrates functional and structural neuroplastic effects of chronic unilateral visual deprivation in rats (679) 110
Walsh, T.J., see Janis, L.S. (679) 99
Walsh, T.J., see Yurdaydin, C. (679) 42
Weibel, D., Kreutzberg, G.W. and Schwab, M.E.
Brain-derived neurotrophic factor (BDNF) prevents lesion-induced axonal die-back in young rat optic nerve (679) 249
Wenk, G.L., Rance, N.E. and Mobley, S.L.
Effects of excitatory amino acid lesions upon neurokinin B and acetylcholine neurons in the nucleus basalis of the rat (679) 8
Wetzel, D.M., Bohn, M.C., Kazee, A.M. and Hamill, R.W.
Glucocorticoid receptor mRNA in Alzheimer's diseased hippocampus (679) 72
Williams, D., see Adler, S. (679) 135

Yamamoto, T., see Shimura, T. (679) 221
Yang, S.-N., see Fior, D.R. (679) 168
Yoneda, Y., Ogita, K., Enomoto, R., Kojima, S., Shuto, M., Shirahata, A. and Samejima, K.
Search for novel ligands selective at a polyamine recognition domain on the *N*-methyl-D-aspartate receptor complex using membrane binding techniques (679) 15
Yu, L., see Liang, Y. (679) 82
Yurdaydin, C., Walsh, T.J., Engler, H.D., Ha, J.-H., Li, Y., Jones, E.A. and Basile, A.S.
Gut bacteria provide precursors of benzodiazepine receptor ligands in a rat model of hepatic encephalopathy (679) 42

Zoli, M., see Li, X.-M. (679) 157